

Safety data sheet

Page: 1/18

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 06.10.2014

Version: 8.0

Product: **CLOISTER**

(ID no. 30460884/SDS_CPA_GB/EN)

Date of print 07.10.2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

CLOISTER

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, fungicide

1.3. Details of the supplier of the safety data sheet

Company:BASF SE
67056 Ludwigshafen
GERMANYContact address:BASF plc
PO Box 4, Earl Road, Cheadle Hulme,
Cheadle, Cheshire
SK8 6QG, UNITED KINGDOM

Telephone: +44 161 485-6222

E-mail address: product-safety-north@basf.com

1.4. Emergency telephone number

International emergency number:

Telephone: +49 180 2273-112

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

According to Regulation (EC) No 1272/2008 [CLP]

| Eye Dam./Irrit. 2

| Carc. 2

| Repr. 1B

| Aquatic Chronic 3According to Directive 67/548/EEC or 1999/45/EC

Carc. Cat. 3

Repr. Cat. 2

Repr. Cat. 3

Possible Hazards:

Limited evidence of a carcinogenic effect.

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Possible risk of impaired fertility.

May cause harm to the unborn child.

For the classifications not written out in full in this section the full text can be found in section 16.

2.2. Label elementsGlobally Harmonized System (GHS) in accordance with UK regulations.

Pictogram:



Signal Word:

Danger

Hazard Statement:

H319	Causes serious eye irritation.
H351	Suspected of causing cancer.
H360Df	May damage the unborn child. Suspected of damaging fertility.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.
H412	Harmful to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P280	Wear protective gloves/clothing/eye protection.
P202	Do not handle until all safety precautions have been read and understood.
P264	Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 06.10.2014

Version: 8.0

Product: **CLOISTER**

(ID no. 30460884/SDS_CPA_GB/EN)

Date of print 07.10.2014

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P308 + P311 IF exposed or concerned: Call a POISON CENTER or doctor/physician.
 P391 Collect spillage.
 P337 + P311 If eye irritation persists: Call a POISON CENTER or doctor/physician.

Precautionary Statements (Storage):

P405 Store locked up.

Precautionary Statements (Disposal):

P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

Labeling of special preparations (GHS):

May produce an allergic reaction. Contains: 1,2-BENZISOTHIAZOL-3(2H)-ONE

According to Regulation (EC) No 1272/2008 [CLP]

Hazard determining component(s) for labelling: EPOXICONAZOLE, METRAFENONE

According to Directive 67/548/EEC or 1999/45/EC

Classification/labelling in accordance with UK regulations.

Hazard symbol(s)

T Toxic.



R-phrase(s)

R40 Limited evidence of a carcinogenic effect.
 R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
 R62 Possible risk of impaired fertility.
 R61 May cause harm to the unborn child.

S-phrase(s)

S2 Keep out of the reach of children.
 S13 Keep away from food, drink and animal feeding stuffs.
 S20/21 When using do not eat, drink or smoke.
 S35 This material and its container must be disposed of in a safe way.
 S36/37 Wear suitable protective clothing and gloves.
 S46 If swallowed, seek medical advice immediately and show this container or label.
 S57 Use appropriate container to avoid environmental contamination.

Hazard determining component(s) for labelling: EPOXICONAZOLE, METRAFENONE

The product contains: 1,2-BENZISOTHIAZOL-3(2H)-ONE

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 06.10.2014

Version: 8.0

Product: **CLOISTER**

(ID no. 30460884/SDS_CPA_GB/EN)

Date of print 07.10.2014

May produce an allergic reaction.

2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical nature

crop protection product, fungicide, suspension concentrate (SC)

Hazardous ingredients (GHS)

according to Regulation (EC) No. 1272/2008

Metrafenone

Content (W/W): 9.3 %

CAS Number: 220899-03-6

Aquatic Acute 1

Aquatic Chronic 2

H400, H411

Epoxiconazole; (2RS,3SR)-3-(2-chlorophenyl)-2-(4-fluorophenyl)-[(1H-1,2,4-triazol-1-yl)methyl]oxirane

Content (W/W): 7.7 %

CAS Number: 133855-98-8

EC-Number: 406-850-2

INDEX-Number: 613-175-00-9

Carc. 2

Repr. 1B

Aquatic Chronic 2

H351, H360Df, H411

Alcohols, C9-11, ethoxylated propoxylated

Content (W/W): < 20 %

CAS Number: 103818-93-5

Acute Tox. 4 (oral)

Eye Dam./Irrit. 1

H318, H302

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 06.10.2014

Version: 8.0

Product: **CLOISTER**

(ID no. 30460884/SDS_CPA_GB/EN)

Date of print 07.10.2014

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one

Content (W/W): < 0.05 %

CAS Number: 2634-33-5

EC-Number: 220-120-9

INDEX-Number: 613-088-00-6

Acute Tox. 4 (oral)

Skin Corr./Irrit. 2

Eye Dam./Irrit. 1

Skin Sens. 1

Aquatic Acute 1

H318, H315, H302, H317, H400

Specific concentration limit:

Skin Sens. 1: >= 0.05 %

Propane-1,2-diol

Content (W/W): < 5 %

CAS Number: 57-55-6

EC-Number: 200-338-0

REACH registration number: 01-2119456809-23

Hazardous ingredients

according to Directive 1999/45/EC

Metrafenone

Content (W/W): 9.3 %

CAS Number: 220899-03-6

Hazard symbol(s): N

R-phrases(s): 50/53

Epoxyconazole; (2RS,3SR)-3-(2-chlorophenyl)-2-(4-fluorophenyl)-[(1H-1,2,4-triazol-1-yl)methyl]oxirane

Content (W/W): 7.7 %

CAS Number: 133855-98-8

EC-Number: 406-850-2

INDEX-Number: 613-175-00-9

Hazard symbol(s): T, N

R-phrases(s): 40, 61, 62, 51/53

Carc. Cat. 3

Repr. Cat. 2

Repr. Cat. 3

Alcohols, C9-11, ethoxylated propoxylated

Content (W/W): < 20 %

CAS Number: 103818-93-5

Hazard symbol(s): Xn

R-phrases(s): 22, 41

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one

Content (W/W): < 0.05 %

CAS Number: 2634-33-5

EC-Number: 220-120-9

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 06.10.2014

Version: 8.0

Product: **CLOISTER**

(ID no. 30460884/SDS_CPA_GB/EN)

Date of print 07.10.2014

INDEX-Number: 613-088-00-6

Hazard symbol(s): Xn, N

R-phrase(s): 22, 38, 41, 43, 50

Propane-1,2-diol

Content (W/W): < 5 %

CAS Number: 57-55-6

EC-Number: 200-338-0

REACH registration number: 01-2119456809-23

For the classifications not written out in full in this section, including the indication of danger, the hazard symbols, the R phrases, and the hazard statements, the full text is listed in section 16.

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

Show container, label and/or safety data sheet to physician.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Immediately wash thoroughly with soap and water, seek medical attention.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media:

water spray, carbon dioxide, foam, dry powder

Unsuitable extinguishing media for safety reasons:

water jet

5.2. Special hazards arising from the substance or mixture

carbon monoxide, Carbon dioxide, hydrogen bromide, hydrogen chloride, hydrogen fluoride, nitrogen oxides, organochloric compounds, sulfur oxides

The substances/groups of substances mentioned can be released in case of fire.

5.3. Advice for fire-fighters

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

SECTION 6: Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

6.2. Environmental precautions

Do not allow contamination of public drains or surface or ground waters. Inform local water plc if spillage enters drains and the Environment Agency (England & Wales), the Scottish Environmental Protection Agency (Scotland), or the Environment and Heritage Service (Northern Ireland) if it enters surface or ground waters. Keep people and animals away.

6.3. Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. Remove contaminated clothing and protective equipment before entering eating areas.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

7.2. Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Components with occupational exposure limits

Refer to the current edition of HSE Guidance Note EH40 Occupational Exposure Limits (United Kingdom). For normal use and handling refer to the product label/leaflet. In all other cases the following apply.

57-55-6: Propane-1,2-diol

TWA value 10 mg/m³ (WEL/EH 40 (UK)), Particulate

TWA value 474 mg/m³ ; 150 ppm (WEL/EH 40 (UK)), Total vapour and particulates

133855-98-8: Epoxiconazole; (2RS,3SR)-3-(2-chlorophenyl)-2-(4-fluorophenyl)-[(1H-1,2,4-triazol-1-yl)methyl]oxirane

TWA value 0.3 mg/m³ (Recommendation of BASF), Respirable dust

8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (e. g. EN 14387 Type ABEK-P3)

Hand protection:

Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact

(Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) and other

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Avoid contact with the skin, eyes and clothing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Form:	suspension	
Colour:	white	
Odour:	faint odour, fruity	
Odour threshold:		
	Not determined due to potential health hazard by inhalation.	
pH value:	approx. 5 - 7 (20 °C) (measured with the undiluted substance)	(pH Meter)
crystallization temperature:	-3.3 °C	(measured)
Boiling point:	approx. 100 °C	(measured)
Flash point:		(Directive 92/69/EEC, A.9)
	No flash point - Measurement made up to the boiling point.	
Evaporation rate:		
	not applicable	
Flammability:	not highly flammable	(Directive 92/69/EEC, A.12)
Lower explosion limit:		
	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Upper explosion limit:		
	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Ignition temperature:	approx. 420 °C	(Directive 92/69/EEC, A.15)

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 06.10.2014

Version: 8.0

Product: **CLOISTER**

(ID no. 30460884/SDS_CPA_GB/EN)

Date of print 07.10.2014

Vapour pressure:	approx. 23 hPa (20 °C)	
Density:	Information applies to the solvent. approx. 1.08 g/cm ³ (20 °C)	(OECD Guideline 109)
Relative vapour density (air):	not applicable	
Solubility in water:	dispersible	
Partitioning coefficient n-octanol/water (log Kow):	not applicable	
Thermal decomposition:	240 °C, 15 kJ/kg (DSC (OECD 113)) 305 °C, 450 kJ/kg (DSC (OECD 113))	
Viscosity, dynamic:	approx. 73 mPa.s (20 °C, 100 1/s)	(OECD 114)
Explosion hazard:	not explosive	(Directive 92/69/EEC, A.14)
Fire promoting properties:	not fire-propagating	(Directive 92/69/EEC, A.17)

9.2. Other information

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

SECTION 10: Stability and Reactivity

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

10.4. Conditions to avoid

See MSDS section 7 - Handling and storage.

10.5. Incompatible materials

Substances to avoid:

strong oxidizing agents, strong bases, strong acids

10.6. Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11: Toxicological Information

11.1. Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.

Experimental/calculated data:

LD50 rat (oral): > 2,000 mg/kg

LC50 rat (by inhalation): > 4.17 mg/l 4 h

Highest concentration available for testing. An aerosol was tested.

LD50 rat (dermal): > 5,000 mg/kg

Irritation

Assessment of irritating effects:

Eye contact causes irritation. Not irritating to the skin.

Experimental/calculated data:

Skin corrosion/irritation rabbit: non-irritant

Serious eye damage/irritation rabbit: Irritant.

Respiratory/Skin sensitization

Assessment of sensitization:

There is no evidence of a skin-sensitizing potential.

Experimental/calculated data:

modified Buehler test guinea pig: Non-sensitizing.

Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Epoxiconazole; (2RS,3SR)-3-(2-chlorophenyl)-2-(4-fluorophenyl)-[(1H-1,2,4-triazol-1-yl)methyl]oxirane

*Assessment of carcinogenicity:**Indication of possible carcinogenic effect in animal tests.*
-----Reproductive toxicity*Assessment of reproduction toxicity:*

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Epoxiconazole; (2RS,3SR)-3-(2-chlorophenyl)-2-(4-fluorophenyl)-[(1H-1,2,4-triazol-1-yl)methyl]oxirane

Assessment of reproduction toxicity:

The results of animal studies suggest a fertility impairing effect.

Developmental toxicity*Assessment of teratogenicity:*

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Epoxiconazole; (2RS,3SR)-3-(2-chlorophenyl)-2-(4-fluorophenyl)-[(1H-1,2,4-triazol-1-yl)methyl]oxirane

Assessment of teratogenicity:

EU-classification The substance caused malformations/developmental toxicity in laboratory animals.

Indications of possible developmental toxicity/teratogenicity were seen in animal studies.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)*Assessment of repeated dose toxicity:*

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Epoxiconazole; (2RS,3SR)-3-(2-chlorophenyl)-2-(4-fluorophenyl)-[(1H-1,2,4-triazol-1-yl)methyl]oxirane

Assessment of repeated dose toxicity:

Repeated exposure to large quantities may affect certain organs.

Other relevant toxicity information

Misuse can be harmful to health.

SECTION 12: Ecological Information**12.1. Toxicity**

Assessment of aquatic toxicity:

Acutely harmful for aquatic organisms. May cause long-term adverse effects in the aquatic environment.

Toxicity to fish:

LC50 (96 h) 33.2 mg/l, *Oncorhynchus mykiss* (OECD 203; ISO 7346; 92/69/EEC, C.1, static)

Aquatic invertebrates:

EC50 (48 h) 38.01 mg/l, *Daphnia magna* (OECD Guideline 202, part 1, static)

Aquatic plants:

EC50 (72 h) 13.63 mg/l (growth rate), *Pseudokirchneriella subcapitata* (OECD Guideline 201, static)

Information on: Epoxiconazole; (2RS,3SR)-3-(2-chlorophenyl)-2-(4-fluorophenyl)-[(1H-1,2,4-triazol-1-yl)methyl]oxirane

Assessment of aquatic toxicity:

EU-classification Acutely toxic for aquatic organisms. May cause long-term adverse effects in the aquatic environment.

Information on: Epoxiconazole; (2RS,3SR)-3-(2-chlorophenyl)-2-(4-fluorophenyl)-[(1H-1,2,4-triazol-1-yl)methyl]oxirane

Aquatic plants:

*EC50 (72 h) 2.3 mg/l, *Ankistrodesmus bibraianus**

*EC50 (7 d) 0.0138 mg/l (growth rate), *Lemna gibba* (OECD guideline 221)*

*EC10 (7 d) 0.0019 mg/l (growth rate), *Lemna gibba* (OECD guideline 221)*

12.2. Persistence and degradability**Assessment biodegradation and elimination (H₂O):**

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Metrafenone**Assessment biodegradation and elimination (H₂O):**

Not readily biodegradable (by OECD criteria).

Information on: Epoxiconazole; (2RS,3SR)-3-(2-chlorophenyl)-2-(4-fluorophenyl)-[(1H-1,2,4-triazol-1-yl)methyl]oxirane

Assessment biodegradation and elimination (H₂O):

Not readily biodegradable (by OECD criteria).

12.3. Bioaccumulative potential**Assessment bioaccumulation potential:**

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Metrafenone

Bioaccumulation potential:

Bioconcentration factor: 140 - 180 (42 d), Lepomis macrochirus (OECD Guideline 305 E)

Information on: Epoxiconazole; (2RS,3SR)-3-(2-chlorophenyl)-2-(4-fluorophenyl)-[(1H-1,2,4-triazol-1-yl)methyl]oxirane

Bioaccumulation potential:

Bioconcentration factor: 59 - 70, Oncorhynchus mykiss (OECD-Guideline 305)

Does not accumulate in organisms.

12.4. Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Epoxiconazole; (2RS,3SR)-3-(2-chlorophenyl)-2-(4-fluorophenyl)-[(1H-1,2,4-triazol-1-yl)methyl]oxirane

Assessment transport between environmental compartments:

Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Information on: Metrafenone

Assessment transport between environmental compartments:

Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

12.5. Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

12.6. Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

12.7. Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 06.10.2014

Version: 8.0

Product: **CLOISTER**

(ID no. 30460884/SDS_CPA_GB/EN)

Date of print 07.10.2014

The UK Environmental Protection (Duty of Care) Regulations (EP) and amendments should be noted (United Kingdom).

This product and any uncleaned containers must be disposed of as hazardous waste in accordance with the 2005 Hazardous Waste Regulations and amendments (United Kingdom)

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

SECTION 14: Transport Information

Land transport

ADR

UN number	UN3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains EPOXICONAZOLE, METRAFENONE)
Transport hazard class(es):	9, EHS
Packing group:	III
Environmental hazards:	yes
Special precautions for user:	Tunnel code: E

RID

UN number	UN3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains EPOXICONAZOLE, METRAFENONE)
Transport hazard class(es):	9, EHS
Packing group:	III
Environmental hazards:	yes
Special precautions for user:	None known

Inland waterway transport

ADN

UN number	UN3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains EPOXICONAZOLE, METRAFENONE)
Transport hazard class(es):	9, EHS
Packing group:	III
Environmental hazards:	yes
Special precautions for user:	None known
Transport in inland waterway vessel:	Not evaluated

Sea transport

IMDG

UN number:	UN 3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains EPOXICONAZOLE, METRAFENONE)
Transport hazard class(es):	9, EHSM
Packing group:	III
Environmental hazards:	yes
	Marine pollutant: YES
Special precautions for user:	None known

Air transport

IATA/ICAO

UN number:	UN 3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains EPOXICONAZOLE, METRAFENONE)
Transport hazard class(es):	9, EHSM
Packing group:	III
Environmental hazards:	yes
Special precautions for user:	None known

14.1. UN number

See corresponding entries for "UN number" for the respective regulations in the tables above.

14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Regulation:	Not evaluated
Shipment approved:	Not evaluated
Pollution name:	Not evaluated
Pollution category:	Not evaluated
Ship Type:	Not evaluated

SECTION 15: Regulatory Information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

To avoid risks to man and the environment, comply with the instructions for use.

The data should be considered when making any assessment under the Control of Substances Hazardous to Health Regulations (COSHH), and related guidance, for example, 'COSHH Essentials' (United Kingdom).

This product is classified under the Chemicals (Hazard Information and Packaging) Regulations, (CHIP) (United Kingdom).

This product may be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments if specific threshold tonnages are exceeded (United Kingdom).

15.2. Chemical Safety Assessment

Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

SECTION 16: Other Information

For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

Full text of the classifications, including the indication of danger, the hazard symbols, the R phrases, and the hazard statements, if mentioned in section 2 or 3:

N	Dangerous for the environment.
T	Toxic.
Xn	Harmful.
50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
40	Limited evidence of a carcinogenic effect.
61	May cause harm to the unborn child.
62	Possible risk of impaired fertility.
51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
22	Harmful if swallowed.

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 06.10.2014

Version: 8.0

Product: **CLOISTER**

(ID no. 30460884/SDS_CPA_GB/EN)

Date of print 07.10.2014

41	Risk of serious damage to eyes.
38	Irritating to skin.
43	May cause sensitization by skin contact.
50	Very toxic to aquatic organisms.
Eye Dam./Irrit.	Serious eye damage/eye irritation
Carc.	Carcinogenicity
Repr.	Reproductive toxicity
Aquatic Chronic	Hazardous to the aquatic environment - chronic
Aquatic Acute	Hazardous to the aquatic environment - acute
Acute Tox.	Acute toxicity
Skin Corr./Irrit.	Skin corrosion/irritation
Skin Sens.	Skin sensitization
Carc. Cat. 3	Carcinogenic substances Category 3: Substances which cause concern for man owing to possible carcinogenic effects.
Repr. Cat. 2	Reprotoxic substances (fertility or development) Category 2: Substances which should be regarded as if they cause developmental toxicity to in humans or substances which should be regarded as if they impair fertility in humans.
Repr. Cat. 3	Reprotoxic substances (fertility or development) Category 3: Substances which cause concern for humans owing to possible developmental toxic effects or substances which cause concern for human fertility.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H351	Suspected of causing cancer.
H360Df	May damage the unborn child. Suspected of damaging fertility.
H318	Causes serious eye damage.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.

If you have any queries relating to this MSDS, it's contents or any other product safety related questions, please write to the following e-mail address: product-safety-north@basf.com

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The data do not describe the product's properties (product specification). Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.