



Dow AgroSciences

**SAFETY  
PRECAUTIONS****Operator protection:**

Engineering control of operator exposure must be used where reasonably practicable in addition to the following personal protective equipment: WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS), SUITABLE PROTECTIVE GLOVES AND FACE PROTECTION (FACESHIELD) when handling the concentrate. However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection. WHEN USING DO NOT EAT, DRINK OR SMOKE.

WASH CONCENTRATE from eyes or skin immediately.

DO NOT BREATHE SPRAY.

WASH HANDS AND EXPOSED SKIN before eating and drinking, and after work. IF YOU FEEL UNWELL, seek medical advice immediately (show label where possible).


**Environmental protection:**

KEEP LIVESTOCK out of treated areas for at least 3 days and until poisonous weeds such as ragwort have died and become unpalatable. DO NOT CONTAMINATE WATER with the product or its container. Do not clean application equipment near surface water. Avoid contamination via drains from farmyards and roads.

**Storage and disposal:**

KEEP AWAY FROM FOOD, DRINK AND ANIMAL FEEDING STUFFS. KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place. WASH OUT THOROUGHLY, empty washings into spray tank, and dispose of safely. DO NOT RE-USE CONTAINER for any purpose.

P 0 0 3 1 5 9 9 1 4 0 7



**Product Identifier according to Art.18 of Reg. (EC) No 1272/2008 [CLP]:** Gala<sup>®</sup>; Hydrocarbons, C9, aromatics; Hydrocarbons, C10, aromatics, <1% naphthalene.

**DANGER**

**FLAMMABLE LIQUID AND VAPOUR. MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS. CAUSES SKIN IRRITATION.**

**MAY CAUSE AN ALLERGIC SKIN REACTION.**

**CAUSES SERIOUS EYE IRRITATION.**

**MAY CAUSE RESPIRATORY IRRITATION.**

**MAY CAUSE DROWSINESS OR DIZZINESS.**

**VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.**

Keep away from heat/sparks/open flames/hot surfaces. No smoking. Wear protective gloves/clothing/eye/face protection.

IF SWALLOWED: Immediately call a POISON CENTRE or doctor/physician.

IF ON SKIN: Wash with plenty of soap and water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Do NOT induce vomiting.

Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

To avoid risks to human health and the environment, comply with the instructions for use.

**PROTECT FROM FROST.****READ DIRECTIONS FOR USE ON ATTACHED LEAFLET.****10 Litres e****Dow AgroSciences Limited**

Latchmore Court, Brand Street, Hitchin, Hertfordshire, SG5 1NH.  
Telephone: Hitchin (01462) 457272 Fax: (01462) 426605  
24 Hour Emergency Telephone Number: +44 (0)1553 761251

®Trademark of the Dow Chemical Company ("Dow") or an affiliated company of Dow

**Product Registration Number: MAPP 12019**

An emulsifiable concentrate containing 288 g/litre (20.7% w/w) fluroxypyr as the 1-methyl heptyl ester (200 g/litre acid equivalent).

A selective post-emergence herbicide for use on WINTER and SPRING CEREALS, FORAGE MAIZE, PERMANENT GRASSLAND and ROTATIONAL GRASS to control a range of perennial and annual weeds, including CLEAVERS, COMMON CHICKWEED, FIELD FROGGET-ME-NOT, COMMON HEMP-NETTLE, BLACK-BINDWEED, VOLUNTEER POTATOES, DOCKS and COMMON NETTLE.

The (COSHH) Control of Substances Hazardous to Health Regulations may apply to the use of this product at work.

**IMPORTANT INFORMATION.**

FOR USE ONLY AS AN AGRICULTURAL HERBICIDE

**Crop:** Wheat (winter), barley (winter), oats (winter), wheat (spring), barley (spring), oats (spring), rye, triticale, durum wheat, forage maize, grassland

**Maximum Individual Dose:** } Full details are given

**Maximum Total Dose:** } in the Important

**Latest Time of Application:** } Information Area on

**Other Specific Restrictions:** } the attached leaflet

**READ THE LABEL BEFORE USE. USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL MAY BE AN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION PRODUCTS.**

This label is compliant with the CPA Voluntary Initiative Guidance



## DIRECTIONS FOR USE

IMPORTANT: This information is approved as part of the Product Label. All instructions within this section must be read carefully in order to obtain safe and successful use of this product.

### IMPORTANT INFORMATION

FOR USE ONLY AS AN AGRICULTURAL HERBICIDE

Crop	Maximum Individual Dose	Maximum Total Dose	Latest Time of Application
Wheat (winter), barley (winter)	2.0 litres product per hectare	2.0 litres product per hectare per crop	Before flag leaf sheath opening stage
Oats (winter), rye, triticale, durum wheat	1.0 litre product per hectare	1.0 litre product per hectare per crop	Before second node detectable stage
Wheat (spring), Barley (spring)	0.75 litre product per hectare	0.75 litre product per hectare per crop	Before flag leaf sheath extending stage
Oats (spring)	0.75 litre product per hectare	0.75 litre product per hectare per crop	Before second node detectable stage
Forage maize	1.0 litre product per hectare	1.0 litre product per hectare per crop	Before seven leaves unfolding stage
Grassland	2.0 litres product per hectare	2.0 litres product per hectare (See Other Specific Restrictions)	-

### Other Specific Restrictions:

A maximum total dose of 0.75 litres per hectare must be observed for applications made to cereals between crop emergence in the year of planting and 1<sup>st</sup> February in the year of harvest.

When applied as a spot treatment to permanent grassland, rotational grass and newly sown grass leys the maximum concentration must not exceed 30 ml product in 10 litres of water.

**READ THE LABEL BEFORE USE. USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL MAY BE AN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION PRODUCTS.**

### NOTES

Keep livestock out of treated areas for at least 3 days and until poisonous weeds such as ragwort have died and become unpalatable.

For best results apply GALA when weeds are actively growing. In newly-sown crops, seedling and small weeds are more susceptible to GALA and will respond quicker when treated at this stage. Vigorous crop competition enhances control of the more resistant weeds and prevents weeds which germinate after application from becoming a problem in the crop.

Crops undersown with grass may be sprayed provided the grasses are tillering.

Do not apply to crops undersown with clover or other legume-containing mixtures.

GALA will only produce optimum results when the weeds are actively growing and the crop competitive. This is particularly important with cleavers, especially where HBN's are not included in the tank mix (e.g. tank mixes with Ally).

GALA is of low volatility and is therefore not subject to vapour drift.

Do not spray in windy weather and avoid drift onto non-target crops/areas.

Do not treat crops under stress. Stress can be caused by many factors including frost, drought, waterlogging, trace element deficiency, disease and pest attack etc.

Do not spray if night temperatures are low or if frost is imminent.

GALA used alone is rainfast one hour after application.

Do not roll or harrow 7 days before or after treatment.

Wash equipment thoroughly with water and detergent immediately after use.

Traces of GALA can cause harm to susceptible crops sprayed later.

### MIXING

Add the appropriate amount of GALA to clean water in a half-filled sprayer tank, mix thoroughly and add the remainder of the water. The spray mix must be used immediately and agitated continuously during mixing and until application is complete.

### VOLUME

Using standard nozzles the recommended spray volume is 150 to 400 litres of water per hectare. The lowest water volume should only be used in very open crops on small weeds. On later applications where the crop is dense, the spray volume should be increased to 400 litres water per hectare. The minimum recommended pressure is 2 to 3 bars.

### SPRAY QUALITY

Apply GALA as a MEDIUM spray as defined by the BCPC system.

### CEREALS

#### SPRING APPLICATION TO WINTER CEREALS

**Winter wheat, winter barley, winter oats, winter rye, durum wheat and triticale**

RATES OF USE, WEED SUSCEPTIBILITY AND MAXIMUM SIZE CONTROLLED

Product and rate of use per hectare	1.0 litre GALA	0.75 litre GALA + rec rate HBN~	1.0 litre GALA + rec rate HBN~
Cleavers		250 mm	
Common chickweed		Flowering	
Common hemp-nettle	Flowering	150 mm	Flowering
Field forget-me-not		100 mm	
Black bindweed	6 true leaves		
Henbit dead-nettle	4 true leaves		
Red dead-nettle	4 true leaves		100 mm
Common fumitory	2 true leaves		
Knotgrass	2 true leaves		

Product and rate of use per hectare	1.0 litre GALA	0.75 litre GALA + rec rate HBN~	1.0 litre GALA + rec rate HBN~
Common field-speedwell Groundsel Ivy-leaved speedwell Mayweed spp. Pale persicaria Redshank	Checked at 2 true leaf stage only	Up to 50 mm but it is dependent on type and rate of HBN~ used. See manufacturers' instructions	
Bugloss Charlock Common poppy Corn marigold Fat-hen Field penny-cress Scarlet pimpernel Shepherd's-purse Small nettle Wild radish Volunteer oilseed rape	Resistant	Up to 6 leaves but it is dependent on type and rate of HBN~ used. See manufacturers' instructions	

~HBN's are products containing ioxynil and/or bromoxynil. HBN recommended tank mix partners are MAPP 14697, 14511, 14696.

### Two-way tank mixes with other broad-leaved weedkillers

GALA is compatible with Dow Shield 400 or Ally. The addition of the recommended rate of Dow Shield 400 will control mayweeds and corn marigold up to 50 mm. The addition of Ally to GALA will broaden the weed spectrum. Refer to the Ally label for weed susceptibilities, timing of application etc. for these mixes.

Where Ally is being used in tank mix with GALA it is important to spray in good growing conditions when the weeds are actively growing, particularly for control of cleavers.

### CROPS AND TIMING

#### Winter wheat and winter barley

GALA alone can be applied from the two leaf stage of the crop up to and including the boot swollen stage (Zadoks 12-45 inclusive).

GALA tank mixed with HBN's~ can be applied from the two leaf stage of the crop but before the second node detectable stage (Zadoks 12-31 inclusive).

#### Winter oats, winter rye, durum wheat and triticale

GALA can be used on winter oats, winter rye, durum wheat and triticale from the two leaf stage of the crop but before the second node detectable stage (Zadoks 12-31 inclusive). The timing of application of GALA mixes depends on the tank mix partner but mixes should not be applied after the first node detectable stage (Zadoks 31). At the present time there is no recommendation to use GALA on triticale in tank mix with any other herbicide.

## SPRING APPLICATION TO SPRING CEREALS

### Spring wheat, spring barley and spring oats

RATES OF USE, WEED SUSCEPTIBILITY AND MAXIMUM SIZE CONTROLLED

Product and rate of use per hectare	0.75 litre GALA	0.5 litre GALA + rec rate HBN-	0.75 litre GALA + rec rate HBN-
Cleavers	100 mm	50 mm	150 mm
Common chickweed	100 mm	100 mm	Flowering
Common hemp-nettle	100 mm	100 mm	150 mm
Field forget-me-not	50 mm	50 mm	100 mm
Black bindweed	4 true leaves	50 mm	100 mm
Common fumitory	2 true leaves	50 mm	100 mm
Knotgrass	2 true leaves	50 mm	100 mm
Corn spurrey	2 true leaves	Up to 6 leaves but dependent on type and rate of HBN- used. See manufacturers' instructions.	
Groundsel	Checked at 2 true leaf stage only		
Mayweed spp.			
Pale persicaria			
Redshank			
Speedwell spp.			
Common orache	Resistant		
Common poppy			
Corn marigold			
Fat-hen			
Shepherd's-purse			
Small nettle			

-HBN's are products containing ioxynil and/or bromoxynil. HBN recommended tank mix partners are MAPP 14697, 14511, 14696.

### Two-way mixes with other broad-leaved weedkillers

GALA is compatible in two-way mix with Dow Shield 400, Ally, and approved salt formulations of MCPA. The addition of 0.175 litre /ha Dow Shield to GALA will control mayweeds and corn marigold up to 50 mm.

The addition of Ally to GALA will broaden the weed spectrum. Refer to the Ally label for weed susceptibilities, timing of applications etc, for this mix. Where Ally is being used in tank mix with GALA it is important to spray in good growing conditions when the weeds are actively growing, particularly for control of cleavers.

The addition of the recommended rate of approved salt formulations of MCPA to GALA is recommended where weeds such as common poppy, fat-hen and shepherd's-purse are present.

### CROPS AND TIMING

#### Spring wheat and spring barley

GALA alone can be applied from the two leaf stage of the crop up to and including the flag leaf ligule just visible stage (Zadoks 12-39 inclusive).

### Spring oats

GALA alone can be applied from the two leaf stage of the crop but before the second node detectable stage (Zadoks 12-31 inclusive).

### Spring wheat, spring barley and spring oats

GALA in mix with Oxytril CM can be applied from the two leaf stage of the crop but before the second node detectable stage (Zadoks 12-31 inclusive).

GALA in tank mix with approved salt formulations of MCPA can be applied from the 5 true leaf stage but before the first node detectable stage (Zadoks 15-30 inclusive).

GALA in tank mix with Dow Shield 400 can be applied to spring wheat and spring barley from the two leaf stage of the crop to before the third node detectable stage (Zadoks 12-32 inclusive). Application to spring oats may be made from the two leaf stage of the crop to before the second node detectable stage (Zadoks 12-31 inclusive).

CROPS, TIMINGS ETC. CAN BE AFFECTED BY THE RATE AND TYPE OF TANK MIX PARTNER USED. ALWAYS REFER TO THE PRODUCT LABEL OF THE TANK MIX PARTNER.

### AUTUMN APPLICATION TO WINTER WHEAT AND WINTER BARLEY

RATES OF USE, WEED SUSCEPTIBILITY AND MAXIMUM SIZE CONTROLLED

Product and rate of use per hectare	0.75 <sup>††</sup> to 0.5 <sup>†</sup> litre GALA per hectare + recommended rate HBN
Cleavers	
Common chickweed	50 mm
Field forget-me-not	
Henbit dead-nettle	
Red dead-nettle	6 true leaves
Charlock	
Common poppy	
Groundsel	
Mayweed spp.	
Shepherd's-purse	
Speedwell spp.	
Volunteer rape	

~HBN's are products containing ioxynil and/or bromoxynil. HBN recommended tank mix partners are MAPP 14697, 14511, 14696.

† The higher rate will generally give more consistent results particularly if growing conditions are not ideal.

†† The higher rate is essential for control of cleavers.

GALA will only produce optimum results when the weeds are actively growing and the crops competitive. This is particularly important with cleavers. Do not spray if frost is imminent.

**Autumn applications will not control weeds which germinate after spraying. In most circumstances a follow-up spray will be necessary to obtain season long weed control.**

## **CROPS AND TIMING**

### **Winter wheat and barley only**

GALA alone or in tank mix with recommended HBN- partners can be applied from the two leaf stage of the crop until the end of February (but not after the first node detectable stage (Zadoks 31). After the end of February, 'Spring Application' recommendations apply.

### **GALA PLUS REDUCED RATE OF HBN FOR CLEAVER CONTROL**

#### **Rates of Use**

GALA herbicide at 0.75 litre/ha can be mixed with 0.25 litre/ha of an approved formulation of HBN (MAPP 14697, 14511). The tank mix of GALA + HBN at the rates above will control cleavers up to 250 mm high or across.

#### **Crops and Timing**

Applications can be made to winter wheat, winter barley and winter oats, and spring wheat sown in the autumn or in the spring. Application to winter oats should be delayed until risk of frost is over. Applications should be made in the spring from the two-leaf stage of the crop but before second node detectable stage (Zadoks 12-31 inclusive).

### **VOLUNTEER POTATO CONTROL - WINTER WHEAT AND WINTER BARLEY ONLY**

#### **WARNINGS**

These warnings apply only for this high rate recommendation of 2.0 litres/ha of GALA. They do not apply where GALA is used at the standard rates for annual broad-leaved weed control (0.5 to 1.0 litre/ha).

Avoid overlapping spray bouts.

Straw from cereals treated at these rates and timings with GALA may contain residues which could damage certain crops. Straw must not be incorporated back into the soil. When straw is disposed of by baling and carting it should be used only for animal bedding. Manure from such animal bedding should be used on or before cereal or grass crops only.

DO NOT PLANT WINTER BEANS or other legumes in the same year as this treatment with GALA.

DO NOT PLANT PEAS or other legumes in the spring following this treatment.

DO NOT TANK MIX GALA WITH ANY OTHER PRODUCT when used as recommended as above.

#### **NOTES**

GALA will only affect shoots which have emerged at the time of spraying. GALA will not give complete control of top growth. However, a good degree of stunting can be expected, which will reduce the competitive threat posed to these crops by this weed. Because volunteer potatoes can emerge over an extended period, sprays applied later in the recommended period will generally give better results.

The main factors for obtaining successful results are that there is sufficient actively growing green foliage on the potatoes and that good coverage of this foliage is achieved, for example by use of sufficiently high water volumes. In addition to the control of volunteer potato haulm this use of GALA will give a useful reduction in the viability of daughter tubers.

#### **WEED SIZE CONTROLLED**

Potato shoots from 10 cm up to 40 cm in height.

#### **RATE OF USE AND WATER VOLUME**

Apply GALA at 2.0 litres/ha in 300 to 400 litres water per hectare using standard nozzles.

#### **TIMING**

Apply GALA anytime from the third node detectable stage of crop growth up to and including the flag leaf ligule just visible stage (Zadoks 33 to 39 inc).

#### **FORAGE MAIZE**

#### **NOTES**

Do not apply in tank mix with any other product or if the crop is beyond the recommended growth stage.

Avoid boom overlap.

## WEEDS CONTROLLED

GALA will control black nightshade from cotyledons up to 6 true leaves. It will not control black nightshade which has not emerged at the time of application.

## RATE OF USE AND WATER VOLUME

Apply GALA at 1.0 litre/ha in 200-300 litres of water per hectare.

## TIMING

Apply when maize is between the 3-6 leaf stage and before the crop is over 20 cm tall. Do not apply once the buttress roots (side roots) have started to develop on the first node.

## GRASSLAND

### NEWLY SOWN GRASS LEYS

## WEEDS CONTROLLED

Weed	Rate of use litres/ha	Weed size controlled
Common chickweed	0.75	50 mm

## RATE OF USE AND WATER VOLUME

Apply GALA at 0.75 litre/ha in a spray volume of 200 to 400 litres of water per hectare to give good coverage of the weed.

Use the higher volume of water where weeds, especially common chickweed, are large at the time of spraying and where the grass is dense.

## TIMING

Application timing is crucial and GALA should be applied when weeds are actively growing.

### *Autumn application*

Apply GALA in early autumn when the grasses have at least 3 fully expanded leaves. Best control is achieved if GALA is applied when the weeds are growing actively.

### *Spring application*

Apply GALA to newly sown spring leys when grasses have at least 3 fully expanded leaves.

## PERMANENT GRASSLAND, ROTATIONAL GRASS

## WEEDS CONTROLLED

Weeds	Rates of use litres/ha	Optimum timing of application
Common nettle	2.0	Spray when actively growing but before flowering (normally up to mid-June). A reduction in top growth only can be expected.
Dandelion	2.0	Spray when actively growing but before flowering (normally up to mid-June).
Dock (curled and broad-leaved)	2.0	Treat in the spring when the docks are in the rosette stage, 15 to 20 cm high. If the grass has been cut for hay or silage or grazed over winter, leave for 2 to 3 weeks to allow sufficient regrowth to occur before spraying. On large well-established docks, or where there is a high reservoir of seed in the soil, a second dose the following year may be required.
Bramble, broom	2.0	Spray in June-August when actively growing but before plant begins to senesce in the autumn. It is essential that, particularly with large bushes, all the foliage is thoroughly wetted or incomplete kill may result.



## **RATE OF USE AND WATER VOLUME**

Apply GALA at 2.0 litres/ha in a spray volume of 300 to 400 litres of water per hectare to give good coverage of the weeds.

## **TANK MIXES**

Where tank mixes are used, and unless directed otherwise, the preferred order of addition of products to the tank is as follows:

- water dispersible grains
- wettable powders
- suspension concentrates (flowables)
- emulsifiable concentrates
- solution concentrates

Each product should be added to the half-full sprayer tank and be fully dispersed before the addition of the next product.

GALA can be tank mixed with a number of other herbicides to broaden the spectrum of weeds controlled. These other herbicides may have crop, timing, varietal and other restrictions that are different to those of GALA. Tank mixes should only be applied within label recommendations of every product in the mix.

GALA should be applied in tank mix with other products only if any requirements or restrictions on the other product label do not conflict with the requirements or restrictions for GALA.

Tank mixes should not be allowed to stand in the tank and agitation should be maintained at all times.

For the latest advice on tank mixes with GALA please contact Dow AgroSciences or your distributor.

## **Dow AgroSciences Conditions of Supply**

All goods supplied by us are of high grade and we believe them to be suitable but, as we cannot exercise control over their storage, handling, mixing or use, or the weather conditions before, during or after application which may affect the performance of the goods, all conditions and warranties, statutory or otherwise, as to the quality or fitness for any purpose of our goods are excluded. No responsibility will be accepted by us or re-sellers for any failure in performance, damage or injury whatsoever arising from their storage, handling, application or use. These conditions cannot be varied by our staff or agents whether or not they supervise or assist in the use of such goods.

## **TRADEMARK ACKNOWLEDGEMENTS**

GALA is a trademark of Dow AgroSciences LLC.

Dow Shield is a trademark of The Dow Chemical Company.

Ally is a Du Pont trademark.

Oxytril is a trademark of Bayer CropSciences Ltd.

# Safety Data Sheet

This Safety Data Sheet does not form part of the approved product label.

## SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1 Product identifiers

**Product name:** GALA® Herbicide

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses:** Plant Protection Product

### 1.3 Details of the supplier of the safety data sheet

#### COMPANY IDENTIFICATION

DOW AGROSCIENCES LIMITED

LATCHMORE COURT

BRAND STREET

HITCHIN

England

SG5 1NH

UNITED KINGDOM

**Customer Information Number:** [SDSQuestion@dow.com](mailto:SDSQuestion@dow.com)

### 1.4 EMERGENCY TELEPHONE NUMBER

**24-Hour Emergency Contact:** 00 31 115 694 982

**Local Emergency Contact:** 00 31 115 694 982

## SECTION 2. HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

**Classification according to Regulation (EU) 1272/2008 :**

Flammable liquids - Category 3 - H226

Skin irritation - Category 2 - H315

Eye irritation - Category 2 - H319

Skin sensitisation - Category 1 - H317

Aspiration hazard - Category 1 - H304

Specific target organ toxicity - single exposure - Category 3 - Respiratory tract irritant. - H335

Specific target organ toxicity - single exposure - Category 3 - Narcotic effects. - H336

Acute aquatic toxicity - Category 1 - H400

Chronic aquatic toxicity - Category 1 - H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

**Classification according to EU Directives 67/548/EEC or 1999/45/EC:**

R10

Harmful - R65

Irritant - R36/37/38

R43

R67

Dangerous for the environment - R51/53

For the full text of the R-phrases mentioned in this Section, see Section 16.

### 2.2 Label elements

**Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]:**

**Hazard pictograms**



**Signal word:** DANGER

**Hazard statements**

H226	Flammable liquid and vapour.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H317	May cause an allergic skin reaction.
H304	May be fatal if swallowed and enters airways.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H410	Very toxic to aquatic life with long lasting effects.

**Supplemental Hazard Statements**

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

**Precautionary statements**

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280	Wear protective gloves/ eye protection/ face protection.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTRE or doctor/ physician.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P331	Do NOT induce vomiting.
P501	Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

**2.3 Other hazards**

no data available

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS****3.2 Mixture**

This product is a mixture.

CASRN / EC-No. / Index-No.	REACH Registration Number	Concentration	Component	Classification: REGULATION (EC) No 1272/2008
CASRN 81406-37-3 EC-No. 279-752-9 Index-No. 607-272-00-5	-	29.7%	fluoroxypyrr-meptyl (ISO)	Aquatic Acute - 1 - H400 Aquatic Chronic - 1 - H410
CASRN Not available EC-No. 918-668-5 Index-No. -	01-2119455851-35	> 60.0 - < 70.0 %	Hydrocarbons, C9, aromatics	Flam. Liq. - 3 - H226 STOT SE - 3 - H336 STOT SE - 3 - H335 Asp. Tox. - 1 - H304 Aquatic Chronic - 2 - H411
CASRN 68953-96-8 EC-No. 273-234-6 Index-No. -	-	< 5.0 %	Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts	Skin Irrit. - 2 - H315 Eye Dam. - 1 - H318 Aquatic Chronic - 2 - H411
CASRN 111-27-3 EC-No. 203-852-3 Index-No. 603-059-00-6	01-2119487967-12	< 5.0 %	hexan-1-ol	Acute Tox. - 4 - H302

CASRN / EC-No. / Index-No.	REACH Registration Number	Concentration	Component	Classification: REGULATION (EC) No 1272/2008
CASRN Not Available EC-No. - Index-No. -	01-2119463583-34	< 1.0 %	Hydrocarbons, C10, aromatics, <1% naphthalene	STOT SE - 3 - H336 Asp. Tox. - 1 - H304 Aquatic Chronic - 2 - H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

CASRN / EC-No. / Index-No.	Concentration	Component	Classification: 67/548/EEC
CASRN 81406-37-3 EC-No. 279-752-9 Index-No. 607-272-00-5	29.7%	fluoroxypyrr-meptyl (ISO)	N - R50 - R53
CASRN Not available EC-No. 918-668-5 Index-No. -	> 60.0 - < 70.0 %	Hydrocarbons, C9, aromatics	R10 Xn - R65 Xi - R37 R66 R67 N - R51/53
CASRN 68953-96-8 EC-No. 273-234-6 Index-No. -	< 5.0 %	Benzenesulfonic acid, mono- C11-13-branched alkyl derivs., calcium salts	Xi - R38 - R41 N - R51/53
CASRN 111-27-3 EC-No. 203-852-3 Index-No. 603-059-00-6	< 5.0 %	hexan-1-ol	Xn - R22 R10 Xi - R36
CASRN Not Available EC-No. - Index-No. -	< 1.0 %	Hydrocarbons, C10, aromatics, <1% naphthalene	Xn - R65 N - R51/53 R66 R67

For the full text of the R-phrases mentioned in this Section, see Section 16.

## SECTION 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

**General advice:** First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection). If potential for exposure exists refer to Section 8 for specific personal protective equipment.

**Inhalation:** Move person to fresh air. If person is not breathing, call an emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc). Call a poison control centre or doctor for treatment advice. If breathing is difficult, oxygen should be administered by qualified personnel.

**Skin contact:** Take off contaminated clothing. Wash skin with soap and plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. Wash clothing before reuse. Shoes and other leather items which cannot be decontaminated should be disposed of properly.

**Eye contact:** Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control centre or doctor for treatment advice. Suitable emergency eye wash facility should be available in work area.

**Ingestion:** Immediately call a poison control centre or doctor. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

**4.2 Most important symptoms and effects, both acute and delayed:** Aside from the information found under Description of first aid measures (above) and Indication of immediate medical attention and special treatment needed (below), any additional important symptoms and effects are described in Section 11: Toxicology Information.

#### **4.3 Indication of any immediate medical attention and special treatment needed**

**Notes to physician:** Skin contact may aggravate preexisting dermatitis. Maintain adequate ventilation and oxygenation of the patient. If lavage is performed, suggest endotracheal and/or esophageal control. Danger from lung aspiration must be weighed against toxicity when considering emptying the stomach. The decision of whether to induce vomiting or not should be made by a physician. No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient. Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control centre or doctor, or going for treatment.

---

## **SECTION 5. FIREFIGHTING MEASURES**

### **5.1 Extinguishing media**

**Suitable extinguishing media:** Water fog or fine spray. Dry chemical fire extinguishers. Carbon dioxide fire extinguishers. Foam. Alcohol resistant foams (ATC type) are preferred. General purpose synthetic foams (including AFFF) or protein foams may function, but will be less effective.

**Unsuitable extinguishing media:** no data available

### **5.2 Special hazards arising from the substance or mixture**

**Hazardous combustion products:** During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating. Combustion products may include and are not limited to: Carbon monoxide. Carbon dioxide. Hydrogen fluoride.

**Unusual Fire and Explosion Hazards:** Container may rupture from gas generation in a fire situation. Violent steam generation or eruption may occur upon application of direct water stream to hot liquids. Dense smoke is produced when product burns.

### **5.3 Advice for firefighters**

**Fire Fighting Procedures:** Keep people away. Isolate fire and deny unnecessary entry. Consider feasibility of a controlled burn to minimize environment damage. Foam fire extinguishing system is preferred because uncontrolled water can spread possible contamination. Use water spray to cool fire exposed containers and fire affected zone until fire is out and danger of reignition has passed. Fight fire from protected location or safe distance. Consider the use of unmanned hose holders or monitor nozzles. Immediately withdraw all personnel from the area in case of rising sound from venting safety device or discoloration of the container. Burning liquids may be extinguished by dilution with water. Do not use direct water stream. May spread fire. Eliminate ignition sources. Move container from fire area if this is possible without hazard. Burning liquids may be moved by flushing with water to protect personnel and minimize property damage. Contain fire water run-off if possible. Fire water run-off, if not contained, may cause environmental damage. Review the "Accidental Release Measures" and the "Ecological Information" sections of this (M)SDS.

**Special protective equipment for firefighters:** Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). Avoid contact with this material during fire fighting operations. If contact is likely, change to full chemical resistant fire fighting clothing with self-contained breathing apparatus. If this is not available, wear full chemical resistant clothing with self-contained breathing apparatus and fight fire from a remote location. For protective equipment in post-fire or non-fire clean-up situations, refer to the relevant sections.

---

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

**6.1 Personal precautions, protective equipment and emergency procedures:** Isolate area. Keep unnecessary and unprotected personnel from entering the area. Keep upwind of spill. Ventilate area of leak or spill. No smoking in area. Eliminate all sources of ignition in vicinity of spill or released vapor to avoid fire or explosion. Vapour explosion hazard. Keep out of sewers. Refer to section 7, Handling, for additional precautionary measures. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

**6.2 Environmental precautions:** Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information.

**6.3 Methods and materials for containment and cleaning up:** Contain spilled material if possible. Pump with explosion-proof equipment. If available, use foam to smother or suppress. Small spills: Absorb with materials such as: Clay, Dirt, Sand. Sweep up. Collect in suitable and properly labeled containers. Large spills: Contact Dow AgroSciences for clean-up assistance. See Section 13, Disposal Considerations, for additional information.

**6.4 Reference to other sections:** References to other sections, if applicable, have been provided in the previous sub-sections.

---

## **SECTION 7. HANDLING AND STORAGE**

**7.1 Precautions for safe handling:** Keep out of reach of children. Keep away from heat, sparks and flame. Do not swallow. Avoid contact with eyes, skin, and clothing. Avoid breathing vapour or mist. Avoid prolonged or repeated contact with skin. Wash thoroughly after handling. Keep container closed. Use with adequate ventilation. No smoking, open flames or sources of ignition in handling and storage area. Electrically ground and bond all equipment. Containers, even those that have been emptied, can contain vapors. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers. Use of non-sparking or explosion-proof equipment may be necessary, depending upon the type of operation. See Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION.

**7.2 Conditions for safe storage, including any incompatibilities:** Store in a dry place. Store in original container. Keep container tightly closed when not in use. Do not store near food, foodstuffs, drugs or potable water supplies. Minimize sources of ignition, such as static build-up, heat, spark or flame.

### Storage stability

To maintain product quality, recommended storage temperature is > 0 °C

**7.3 Specific end use(s):** Refer to product label.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

Exposure limits are listed below, if they exist.

Component	Regulation	Type of listing	Value/Notation
fluoroxypyr-meptyl (ISO)	Dow IHG	TWA	10 mg/m3
hexan-1-ol	US WEEL	TWA	40 ppm

RECOMMENDATIONS IN THIS SECTION ARE FOR MANUFACTURING, COMMERCIAL BLENDING AND PACKAGING WORKERS. APPLICATORS AND HANDLERS SHOULD SEE THE PRODUCT LABEL FOR PROPER PERSONAL PROTECTIVE EQUIPMENT AND CLOTHING.

### 8.2 Exposure controls

**Engineering controls:** Use engineering controls to maintain airborne level below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, use only with adequate ventilation. Local exhaust ventilation may be necessary for some operations.

### Individual protection measures

**Eye/face protection:** Use chemical goggles. Chemical goggles should be consistent with EN 166 or equivalent.

#### Skin protection

**Hand protection:** Use chemical resistant gloves classified under Standard EN374: Protective gloves against chemicals and micro-organisms. Examples of preferred glove barrier materials include: Polyethylene. Ethyl vinyl alcohol laminate ("EVAL"). Styrene/butadiene rubber. Viton. Examples of acceptable glove barrier materials include: Butyl rubber. Chlorinated polyethylene. Natural rubber ("latex"). Neoprene. Nitrile/butadiene rubber ("nitrile" or "NBR"). Polyvinyl chloride ("PVC" or "vinyl"). When prolonged or frequently repeated contact may occur, a glove with a protection class of 5 or higher (breakthrough time greater than 240 minutes according to EN 374) is recommended. When only brief contact is expected, a glove with a protection class of 3 or higher (breakthrough time greater than 60 minutes according to EN 374) is recommended. NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

**Other protection:** Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task.

**Respiratory protection:** Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, use an approved respirator. Selection of air-purifying or positive-pressure supplied-air will depend on the specific operation and the potential airborne concentration of the material. For emergency conditions, use an approved positive-pressure self-contained breathing apparatus. If vapors are strong enough to be irritating to the nose, or eyes, the OEL is probably being exceeded. Special ventilation or respiratory protection may be required.

Use the following CE approved air-purifying respirator: Organic vapor cartridge with a particulate pre-filter, type AP2.

### Environmental exposure controls

See SECTION 7: Handling and storage and SECTION 13: Disposal considerations for measures to prevent excessive environmental exposure during use and waste disposal.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

#### Appearance

Physical state	Liquid.
Colour	Brown
Odour	Aromatic
Odour Threshold	No test data available
pH	5.3 1% <i>CIPAC MT 75.2</i> (1% aqueous suspension)
Melting point/range	Not applicable
Freezing point	No test data available
Boiling point (760 mmHg)	No test data available
Flash point	closed cup 55 °C <i>CIPAC MT 12</i>
Evaporation Rate (Butyl Acetate = 1)	No test data available

<b>Flammability (solid, gas)</b>	Not Applicable
<b>Lower explosion limit</b>	No test data available
<b>Upper explosion limit</b>	No test data available
<b>Vapour Pressure</b>	No test data available
<b>Relative Vapor Density (air = 1)</b>	No test data available
<b>Relative Density (water = 1)</b>	0.9698 at 20 °C <i>Pyknometer</i>
<b>Water solubility</b>	emulsifiable
<b>Partition coefficient: n-octanol/water</b>	no data available
<b>Auto-ignition temperature</b>	442 °C <i>EC Method A15</i>
<b>Decomposition temperature</b>	No test data available
<b>Dynamic Viscosity</b>	No test data available
<b>Kinematic Viscosity</b>	2.96 mm <sup>2</sup> /s at 20 °C <i>ASTM D455</i>
<b>Explosive properties</b>	No No <i>EEC A14</i>
<b>Oxidizing properties</b>	No test data available

## 9.2 Other information

<b>Liquid Density</b>	0.9698 g/cm <sup>3</sup> at 20 °C <i>Pyknometer</i>
<b>Molecular weight</b>	no data available
<b>Surface tension</b>	27.0 mN/m at 25 °C <i>EC Method A5</i>

NOTE: The physical data presented above are typical values and should not be construed as a specification.

---

## SECTION 10. STABILITY AND REACTIVITY

**10.1 Reactivity:** no data available

**10.2 Chemical stability:** Thermally stable at typical use temperatures.

**10.3 Possibility of hazardous reactions:** Polymerization will not occur.

**10.4 Conditions to avoid:** Exposure to elevated temperatures can cause product to decompose. Generation of gas during decomposition can cause pressure in closed systems. Avoid direct sunlight.

**10.5 Incompatible materials:** Avoid contact with: Strong acids. Strong bases. Strong oxidizers.

**10.6 Hazardous decomposition products:** Decomposition products depend upon temperature, air supply and the presence of other materials. Toxic gases are released during decomposition.

---

## SECTION 11. TOXICOLOGICAL INFORMATION

*Toxicological information on this product or its components appear in this section when such data is available.*

### 11.1 Information on toxicological effects

#### Acute toxicity

##### Acute oral toxicity

Low toxicity if swallowed. Small amounts swallowed incidentally as a result of normal handling operations are not likely to cause injury; however, swallowing larger amounts may cause injury.

As product:

LD50, rat, male, > 2,000 - 3,500 mg/kg

##### Acute dermal toxicity

Prolonged skin contact is unlikely to result in absorption of harmful amounts.

As product:

LD50, rat, male and female, > 5,000 mg/kg

##### Acute inhalation toxicity

Vapor concentrations are attainable which could be hazardous on single exposure. May cause respiratory irritation and central nervous system depression.

Symptoms may include headache, dizziness and drowsiness, progressing to incoordination and unconsciousness.

As product: The LC50 has not been determined.

#### Skin corrosion/irritation

Brief contact may cause severe skin irritation with pain and local redness.

May cause drying and flaking of the skin.

**Serious eye damage/eye irritation**

May cause pain disproportionate to the level of irritation to eye tissues.

May cause moderate eye irritation.

May cause slight corneal injury.

**Sensitization**

Has caused allergic skin reactions when tested in guinea pigs.

For respiratory sensitization:

No relevant data found.

**Specific Target Organ Systemic Toxicity (Single Exposure)**

May cause respiratory irritation.

May cause drowsiness or dizziness.

**Specific Target Organ Systemic Toxicity (Repeated Exposure)**

For the active ingredient(s):

Based on available data, repeated exposures are not anticipated to cause significant adverse effects.

Based on information for component(s):

In animals, effects have been reported on the following organs:

Kidney.

Liver.

Blood.

Eye.

Gastrointestinal tract.

Respiratory tract.

For the active ingredient(s):

Based on available data, repeated exposures are not anticipated to cause significant adverse effects.

**Carcinogenicity**

For the active ingredient(s): Did not cause cancer in laboratory animals.

For the minor component(s): Has caused cancer in laboratory animals. However, the relevance of this to humans is unknown.

**Teratogenicity**

For the active ingredient(s): Has been toxic to the fetus in laboratory animals at doses toxic to the mother. Did not cause birth defects in laboratory animals.

For the solvent(s): Has been toxic to the fetus in laboratory animals at doses toxic to the mother. Has caused birth defects in lab animals only at doses producing severe toxicity in the mother.

**Reproductive toxicity**

For the solvent(s): In laboratory animal studies, effects on reproduction have been seen only at doses that produced significant toxicity to the parent animals. In animal studies, active ingredient did not interfere with reproduction.

**Mutagenicity**

For the active ingredient(s): In vitro genetic toxicity studies were negative. Animal genetic toxicity studies were negative.

**Aspiration Hazard**

May be fatal if swallowed and enters airways.

**COMPONENTS INFLUENCING TOXICOLOGY:****fluoroxypyr-meptyl (ISO)****Acute inhalation toxicity**

Prolonged exposure is not expected to cause adverse effects. Dust may cause irritation to upper respiratory tract (nose and throat).

Maximum attainable concentration, LC50, rat, male and female, 4 Hour, dust/mist, > 1.16 mg/l No deaths occurred at this concentration.

**Hydrocarbons, C9, aromatics****Acute inhalation toxicity**

Vapor concentrations are attainable which could be hazardous on single exposure. May cause respiratory irritation and central nervous system depression.

Symptoms may include headache, dizziness and drowsiness, progressing to incoordination and unconsciousness.

LC50, rat, 4 Hour, > 10.2 mg/l

**Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts****Acute inhalation toxicity**

The LC50 has not been determined.



### hexan-1-ol

#### **Acute inhalation toxicity**

No adverse effects are anticipated from single exposure to vapour. Excessive exposure may cause irritation to upper respiratory tract (nose and throat) and lungs.

LC50, rat, 1 Hour, vapour, > 21 mg/l

### Hydrocarbons, C10, aromatics, <1% naphthalene

#### **Acute inhalation toxicity**

Prolonged excessive exposure may cause adverse effects. May cause central nervous system effects. Symptoms may include headache, dizziness and drowsiness, progressing to incoordination and unconsciousness. Excessive exposure may cause irritation to upper respiratory tract (nose and throat) and lungs.

As product: The LC50 has not been determined.

For similar material(s): LC50, rat, 4 Hour, vapour, > 4.688 mg/l

Maximum attainable concentration.

---

## **SECTION 12. ECOLOGICAL INFORMATION**

*Ecotoxicological information on this product or its components appear in this section when such data is available.*

### **12.1 Toxicity**

#### **Acute toxicity to fish**

Material is toxic to aquatic organisms (LC50/EC50/IC50 between 1 and 10 mg/L in the most sensitive species).

LC50, Oncorhynchus mykiss (rainbow trout), flow-through test, 96 Hour, 8.5 mg/l, OECD Test Guideline 203

#### **Acute toxicity to aquatic invertebrates**

EC50, Daphnia magna (Water flea), flow-through test, 48 Hour, 6.2 mg/l, OECD Test Guideline 202

#### **Acute toxicity to algae/aquatic plants**

ErC50, Pseudokirchneriella subcapitata (green algae), static test, 72 Hour, > 40 mg/l, OECD Test Guideline 201

ErC50, diatom Navicula sp., Static, 72 Hour, 0.684 mg/l, OECD Test Guideline 201

#### **Toxicity to Above Ground Organisms**

Material is practically non-toxic to birds on an acute basis (LD50 > 2000 mg/kg).

oral LD50, Colinus virginianus (Bobwhite quail), mortality, > 2250mg/kg bodyweight.

contact LD50, Apis mellifera (bees), 48 Hour, mortality, > 100µg/bee

oral LD50, Apis mellifera (bees), 48 Hour, mortality, > 130µg/bee

#### **Toxicity to soil-dwelling organisms**

LC50, Eisenia fetida (earthworms), 14 d, survival, 270 mg/kg

### **12.2 Persistence and degradability**

#### **fluoroxypyr-meptyl (ISO)**

**Biodegradability:** Material is not readily biodegradable according to OECD/EEC guidelines.

10-day Window: Fail

**Biodegradation:** 32 %

**Exposure time:** 28 d

**Method:** OECD Test Guideline 301D or Equivalent

**Theoretical Oxygen Demand:** 2.2 mg/mg

**Stability in Water (1/2-life)**

, half-life, 454 d

#### **Hydrocarbons, C9, aromatics**

**Biodegradability:** For the major component(s): Material is expected to biodegrade very slowly (in the environment). Fails to pass OECD/EEC tests for ready biodegradability. For some component(s): Based on stringent OECD test guidelines, this material cannot be considered as readily biodegradable; however, these results do not necessarily mean that the material is not biodegradable under environmental conditions.

#### **Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts**

**Biodegradability:** No relevant data found.

### **hexan-1-ol**

**Biodegradability:** Material is readily biodegradable. Passes OECD test(s) for ready biodegradability.

10-day Window: Pass

**Biodegradation:** 61 - 77 %

**Exposure time:** 30 d

**Method:** OECD Test Guideline 301D or Equivalent

### Hydrocarbons, C10, aromatics, <1% naphthalene

**Biodegradability:** Material is inherently biodegradable (reaches > 20% biodegradation in OECD test(s) for inherent biodegradability).

### **12.3 Bioaccumulative potential**

#### fluoroxypyr-meptyl (ISO)

**Bioaccumulation:** Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

**Partition coefficient: n-octanol/water(log Pow):** 5.04 Measured

**Bioconcentration factor (BCF):** 26 Oncorhynchus mykiss (rainbow trout) Measured

#### Hydrocarbons, C9, aromatics

**Bioaccumulation:** For the major component(s): Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5). For the minor component(s): Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

### Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts

**Bioaccumulation:** No relevant data found.

#### hexan-1-ol

**Bioaccumulation:** Bioconcentration potential is low (BCF < 100 or Log Pow < 3). Potential for mobility in soil is very high (Koc between 0 and 50).

Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

**Partition coefficient: n-octanol/water(log Pow):** 1.8 Measured

#### Hydrocarbons, C10, aromatics, <1% naphthalene

**Bioaccumulation:** No data available for this product. For similar material(s): Bioconcentration potential is high (BCF > 3000 or Log Pow between 5 and 7).

### **12.4 Mobility in soil**

#### fluoroxypyr-meptyl (ISO)

Expected to be relatively immobile in soil (Koc > 5000).

**Partition coefficient(Koc):** 6200 - 43000

#### Hydrocarbons, C9, aromatics

No relevant data found.

### Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts

No relevant data found.

#### hexan-1-ol

**Partition coefficient(Koc):** 8.3

#### Hydrocarbons, C10, aromatics, <1% naphthalene

No relevant data found.

### **12.5 Results of PBT and vPvB assessment**

#### fluoroxypyr-meptyl (ISO)

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

#### Hydrocarbons, C9, aromatics

This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

### Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts

This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

#### Hydrocarbons, C10, aromatics, <1% naphthalene

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT). This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

### **12.6 Other adverse effects**

#### fluoroxypyr-meptyl (ISO)

This substance is not in Annex I of Regulation (EC) No 1005/2009 on substances that deplete the ozone layer.

#### Hydrocarbons, C9, aromatics

This substance is not in Annex I of Regulation (EC) No 1005/2009 on substances that deplete the ozone layer.

### Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts

This substance is not in Annex I of Regulation (EC) No 1005/2009 on substances that deplete the ozone layer.

#### Hydrocarbons, C10, aromatics, <1% naphthalene

This substance is not in Annex I of Regulation (EC) No 1005/2009 on substances that deplete the ozone layer.

## SECTION 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

The definitive assignment of this material to the appropriate EWC group and thus its proper EWC code will depend on the use that is made of this material. Contact the authorized waste disposal services.

## SECTION 14. TRANSPORT INFORMATION

### Classification for ROAD and Rail transport (ADR/RID):

14.1	UN number	UN 1993
14.2	Proper shipping name	FLAMMABLE LIQUID, N.O.S.(Aromatic hydrocarbon)
14.3	Class	3
14.4	Packing group	III
14.5	Environmental hazards	Fluroxypryr 1-methylheptyl ester
14.6	Special precautions for user	Special Provision 640E Hazard identification No: 30

### Classification for SEA transport (IMO-IMDG):

14.1	UN number	UN 1993
14.2	Proper shipping name	FLAMMABLE LIQUID, N.O.S.(Aromatic hydrocarbon)
14.3	Class	3
14.4	Packing group	III
14.5	Environmental hazards	Fluroxypryr 1-methylheptyl ester
14.6	Special precautions for user	EmS: F-E, S-E
14.7	Transport in bulk according to Annex I or II of MARPOL 73/78 and the IBC or IGC Code	Consult IMO regulations before transporting ocean bulk

### Classification for AIR transport (IATA/ICAO):

14.1	UN number	UN 1993
14.2	Proper shipping name	Flammable liquid, n.o.s.(Aromatic hydrocarbon)
14.3	Class	3
14.4	Packing group	III
14.5	Environmental hazards	Not applicable
14.6	Special precautions for user	No data available.

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

## SECTION 15. REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Other regulations

Registration Number: MAPP 12019

This product contains only components that have been either pre-registered, registered, are exempt from registration or are regarded as registered according to Regulation (EC) No. 1907/2006 (REACH).

The aforementioned indications of the REACH registration status are provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. It is the buyer's/user's responsibility to ensure that his/her understanding of the regulatory status of this product is correct.

### 15.2 Chemical Safety Assessment

For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

## SECTION 16. OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3.

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

### Full text of R-phrases referred to under sections 2 and 3

R10	Flammable.
R22	Harmful if swallowed.
R36	Irritating to eyes.
R36/37/38	Irritating to eyes, respiratory system and skin.
R37	Irritating to respiratory system.
R38	Irritating to skin.
R41	Risk of serious damage to eyes.
R43	May cause sensitisation by skin contact.
R50	Very toxic to aquatic organisms.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R53	May cause long-term adverse effects in the aquatic environment.
R65	Harmful: may cause lung damage if swallowed.
R66	Repeated exposure may cause skin dryness or cracking.
R67	Vapours may cause drowsiness and dizziness.

### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 (CLP)

Flam. Liq. - 3 - H226 - On basis of test data.  
Skin Irrit. - 2 - H315 - On basis of test data.  
Eye Irrit. - 2 - H319 - On basis of test data.  
Skin Sens. - 1 - H317 - On basis of test data.  
Asp. Tox. - 1 - H304 - On basis of test data.  
STOT SE - 3 - H335 - Calculation method  
STOT SE - 3 - H336 - Calculation method  
Aquatic Acute - 1 - H400 - On basis of test data.  
Aquatic Chronic - 1 - H410 - Calculation method

### Revision

Identification Number: 101202953 / A293 / Issue Date: 09.07.2014 / Version: 4.1

DAS Code: EF-1512

Most recent revision(s) are noted by the bold, double bars in left-hand margin throughout this document.

### Legend

Dow IHG	Dow Industrial Hygiene Guideline
TWA	8-hr TWA
US WEEL	USA. Workplace Environmental Exposure Levels (WEEL)


### Information Source and References

This SDS is prepared by Product Regulatory Services and Hazard Communications Groups from information supplied by internal references within our company.

DOW AGROSCIENCES LIMITED urges each customer or recipient of this (M)SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this (M)SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific (M)SDSs, we are not and cannot be responsible for (M)SDSs obtained from any source other than ourselves. If you have obtained an (M)SDS from another source or if you are not sure that the (M)SDS you have is current, please contact us for the most current version.



Dow AgroSciences



# SAFETY PRECAUTIONS

**Operator protection:**  
Engineering control of operator exposure must be used where reasonably practicable in addition to the following personal protective equipment: **WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS), SUITABLE PROTECTIVE GLOVES AND FACE PROTECTION (FACESHIELD)** when handling the concentrate. However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection. **WHEN USING DO NOT EAT, DRINK OR SMOKE. WASH CONCENTRATE** from eyes or skin immediately. **DO NOT BREATHE SPRAY. WASH HANDS AND EXPOSED SKIN** before eating and drinking, and after work. **IF YOU FEEL UNWELL**, seek medical advice immediately (show label where possible).

**Environmental protection:**  
KEEP LIVESTOCK out of treated areas for at least 3 days and until poisonous weeds such as ragwort have died and become unpalatable. **DO NOT CONTAMINATE WATER** with the product or its container. Do not clear application equipment near surface water. Avoid contamination via drains from farmyards and roads.

**Storage and disposal:**  
KEEP AWAY FROM FOOD, DRINK AND ANIMAL FEEDING STUFFS. KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place. **WASH OUT CONTAINER THOROUGHLY**, empty washings into spray tank, and dispose of safely. **DO NOT RE-USE CONTAINER** for any purpose.

Product Registration Number: MAPP 12019

An emulsifiable concentrate containing 288 g/litre (20.7% w/w) fluroxypyr as the 1-methyl heptyl ester (200 g/litre acid equivalent).

A selective post-emergence herbicide for use on **WINTER and SPRING CEREALS, FORAGE MAIZE, PERMANENT GRASSLAND and ROTATIONAL GRASS** to control a range of perennial and annual weeds, including **CLEAVERS, COMMON CHICKWEED, FIELD FORGET-ME-NOT, COMMON HEMP-NETTLE, BLACK-BINDWEED, VOLUNTEER POTATOES, DOCKS and COMMON NETTLE.**

The (COSHH) Control of Substances Hazardous to Health Regulations may apply to the use of this product at work.

### IMPORTANT INFORMATION.

FOR USE ONLY AS AN AGRICULTURAL HERBICIDE

**Crop:** Wheat (winter), barley (winter), oats (winter), wheat (spring), barley (spring), oats (spring), rye, triticale, durum wheat, forage maize, grassland

- Maximum Individual Dose:** } Full details are given
- Maximum Total Dose:** } in the Important
- Latest Time of Application:** } Information Area on
- Other Specific Restrictions:** } the attached leaflet

**READ THE LABEL BEFORE USE. USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL MAY BE AN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION PRODUCTS.**

Product Identifier according to Art.18 of Reg. (EC) No 1272/2008 [CLP]: Gala<sup>®</sup>; Hydrocarbons, C9, aromatics; Hydrocarbons, C10, aromatics, <1% naphthalene.

**DANGER**  
**FLAMMABLE LIQUID AND VAPOUR.**  
**MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS.**  
**CAUSES SKIN IRRITATION.**  
**MAY CAUSE AN ALLERGIC SKIN REACTION.**  
**CAUSES SERIOUS EYE IRRITATION.**  
**MAY CAUSE RESPIRATORY IRRITATION.**  
**MAY CAUSE DROWSINESS OR DIZZINESS.**  
**VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.**

Keep away from heat/sparks/open flames/hot surfaces. No smoking. Wear protective gloves/clothing/eye/face protection. IF SWALLOWED: Immediately call a POISON CENTRE or doctor/physician. IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. DO NOT induce vomiting.

Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

To avoid risks to human health and the environment, comply with the instructions for use.

PROTECT FROM FROST.

READ DIRECTIONS FOR USE ON ATTACHED LEAFLET.

# 10 Litres e



**Dow AgroSciences Limited**  
Latchmore Court, Brand Street, Hitchin, Hertfordshire. SG5 1NH.  
Telephone: Hitchin (01462) 457272 Fax: (01462) 426605  
24 Hour Emergency Telephone Number: +44 (0)1553 761251

©Trademark of the Dow Chemical Company ("Dow") or an affiliated company of Dow

This label is compliant with the CPA Voluntary Initiative Guidance

